COMMUNICATION FAILURE PROCEDURE:

a) Before reception of a "transition" CLR: Switch transponder code to 7600 and continue FLT in accordance with COM Failure PROC published on relevant Standard Instrument Approach Procedure.

b) After reception of a "transition" CLR: Switch transponder code to 7600 and continue FLT in accordance with lateral description and with respect to the MCA of the PROC with subsequent final APCH of a conventional Standard Instrument Approach Procedure.

c) After reception of a CLR direct to a WPT on a transition: Switch transponder code to 7600 and continue FLT direct to the cleared WPT, rejoin transition in accordance with lateral description and with respect to the MCA of the PROC with subsequent final APCH of a conventional Standard Instrument Approach Procedure.

d) When being Radar Vectored to a WPT on a transition: Switch transponder code to 7600 and resume own navigation to rejoin transition in the most direct way and proceed in accordance with lateral description and with respect to the MCA of the PROC with subsequent final APCH of a conventional Standard Instrument Approach Procedure.



TRANSITION LEVEL by ATC
TRANSITION ALTITUDE 7000

STANDARD INSTRUMENT DEPARTURE CHART (SID) - ICAO



TRANSITION LEVEL by ATC
TRANSITION ALTITUDE 7000

ZURICH LSZH
SID RWY 10 - RNAV 5



STANDARD INSTRUMENT DEPARTURE CHART (SID) - ICAO

TRANSITION LEVEL by ATC
TRANSITION ALTITUDE 7000

ZURICH LSZH
SID RWY 10 - NON RNAV



STANDARD INSTRUMENT DEPARTURE CHART (SID) - ICAO

TRANSITION LEVEL by ATC
TRANSITION ALTITUDE 7000

ZURICH LSZH
SID RWY 34 - RNAV 1



STANDARD INSTRUMENT DEPARTURE CHART (SID) - ICAO

TRANSITION LEVEL by ATC
TRANSITION ALTITUDE 7000

ZURICH LSZH
SID RWY 32 - RNAV 1



STANDARD INSTRUMENT DEPARTURE CHART (SID) - ICAO

TRANSITION LEVEL by ATC
TRANSITION ALTITUDE 7000

ZURICH LSZH
SID RWY 34 - RNAV 1

STANDARD INSTRUMENT DEPARTURE CHART (SID) - ICAO

ACTIVATION BY NOTAM OR BY AIRPORT AUTHORITY ONLY

TRANSITION LEVEL by ATC
TRANSITION ALTITUDE 7000

ZURICH LSZH
SID RWY 32 - RNAV 1
BODAN - LASUN



STANDARD INSTRUMENT DEPARTURE CHART (SID) - ICAO

ACTIVATION BY NOTAM OR BY AIRPORT AUTHORITY ONLY

TRANSITION LEVEL by ATC
TRANSITION ALTITUDE *7000*

ZURICH LSZH
SID RWY 34 - RNAV 1
BODAN - LASUN